



Room Type Matrix for Full Functionalization

The following room types must be fully functionalized in USpace and can only use the Joint Use function if they were vacant or under renovation for the entire fiscal year. In these instances you must specify which of the two conditions as a note on the room.

Research Labs¹

Clinical Lab - Research
Data Lab - Research
Instrument Lab - Research
Special Lab - Research
Wet Lab - Research

Research Lab Support²

Autoclave
Clinical Lab Restroom
Clinical Lab Service
Cold Room
Containment Facility
Darkroom
Data Lab Service
Dishwashing
Equipment
Hot Room
Instrument Lab Service
Lab Circulation
Lab Storage
Observation
Other Research Lab Service
Special Research Lab Service
Tissue/Cell Culture
Waiting
Warm Room
Wet Lab Service

¹Research Labs require occupant, PI, and grant number if any portion of the space is coded to Organized Research or Other Sponsored Activity/Clinical Trials.

²Research Lab Support ONLY requires PI and grant number if any portion of space is coded to Organized Research or Other Sponsored Activity/Clinical Trials. The functions of these rooms generally reflect those of the lab or labs they support.

For questions please contact the Office of Space Management & Analysis at (uspace@miami.edu).

Additional USpace resources are available at:

http://www.miami.edu/index.php/space_management_analysis/uspace/

